

**VIA ELECTRONIC MAIL**  
**CONFIRMATION OF EMAIL RECEIPT REQUESTED**

Mr. Mary Shahid  
Nexsen Pruet, LLC  
205 King Street, Suite 400  
Charleston, South Carolina 29401  
[ HYPERLINK "mailto:mshahid@nexsenpruet.com" ]

Re: Administrative Compliance Order on Consent  
Docket No.: CWA-04-2021-0505

Dear Ms. Shahid:

Enclosed, please find an Administrative Compliance Order on Consent (AOC), Docket No.: CWA-04-2021-0505, which is being issued to Pine Hope, LLC by the U.S. Environmental Protection Agency Region 4. This AOC requires construction of low-water crossings, installation of a ditch plug, and modification of an existing adjustable outlet control structure to a permanent outlet control structure on your client's property located at 200 Pine Hope Lane in Berkeley County, South Carolina. If Pine Hope, LLC agrees with the terms of this AOC, the EPA requests that your client sign the attached AOC and return it via email to Christopher Parker at [parker.christopher@epa](mailto:parker.christopher@epa), with a copy to Michele Wetherington, Associate Regional Counsel, at [wetherington.michele@epa.gov](mailto:wetherington.michele@epa.gov).

The executed AOC will become effective upon the date signed by the Enforcement and Compliance Assurance Division Director. A copy of the final AOC will be sent to you. If you have any further comments or questions regarding this matter, please contact Ms. Wetherington at [wetherington.michele@epa.gov](mailto:wetherington.michele@epa.gov) or (404) 562-9613.

Sincerely,

Daniel J. O'Lone, Chief  
Waterways and Wetlands Enforcement Section  
Water Enforcement Branch

Enclosures[ TC \11 "]